Marshall Dubration

Philadelphia Nov. 30th 1849

Record of cases presented to the class in the Jefferson Medical College - for the purpose of contrasting the way in which the Profs. examine and prescribe for patients - compared with others or different schools. In the medical clinic a great majority of cases are chronic in their nature - and are such as do not very often occur in common country practice Therefor they are valuable in a practicable point - and have been selected to demonstrate the various diseases. The surgical cases are highly interesting - as we can only become practically familiar - with operations by seeing them performed - this way makes a lasting impression. &c.

Property
of
Eli K. Caithers
Philadelphia
Pensylvania
Nov. 1849=

Samuel Stites
Berrysburg
Dauphin Co Pa

Eli K. Caithers

Dr. Scheffey"

Dr. Caithers spent a life time of practice in Bloomington, Ill. - Thot you might enjoy this for your Collection & if not, perhaps Mr. Wilson at the Library might use it.

Harold R. Watkins,
Bloomington, Ill.-
4/14/1944.

Jefferson 1920.

Philadelphia Nov. 26th A.D. 1849

Cases recorded regularly as they were prescribed for by the Prof. J. K. Michell. which do not often occur- having some peculiarity.

Case 1st Louisa Bradley Age 32 years Complained of determination of blood to the head several times per day. being periodical in its nature- Cause thought to be anemia. Treatment as follows—— Rx. Ferri Carb. 4 gr.
Camph. 1 "
Capsicum 1 "
To be made into a pill- One of which is to be given three times per day

Case 2 Elizabeth Montella Age 30 "
Disease- phthesis-pulmonalis active in its course. Told the patient she could not recover- treatment- only tem-porary- or palliative

Case 3 Robert Andless Aetas 3

Disease supposed to be inguinal hernia - was sent to D. Pancoast to be examined - Thought to be worms - for which Rp. Super. Tar. potassa X gr. Pul. Jalap VI gr. was given daily —

Case 4 Henry Hackney Aetas 13

Disease — Eclectic fits of several years standing. Cause not known — Treatment

Rp. Argenti. Nitras 1/3 gr.

Made into a pill — one 3 times per day. Infusion of radix serpentaria XX gr. once per day. continued for weeks.

Case. 5. John Forsythe Aetas 80

Disease — psoriasis of recent origin — principally in the groin.

Treatment — Unguintum Hydrargyri Oxidi Rubri. Parts well anointed

Case 6 Peter Dibean Aetas 25

Disease—

Sycosis Menti

Contagious disease— inocculated by shaving

Treatment in last stage

℞. Carb. Ammo. X. gr

Sal. ammo. X.

dilated alcohol the vehicle— M. 3

December 2d 1879

Case 7 Mary J. Kelley Aetas 26

Disease— Continued pain in the sternal part of the leg— Of eleven years standing— during which time Menstruation has been more or less obstructed— Treatment ℞. Hiera Picra at bed time. pediluvio— Apply over the located pain the ointment of aconite— the strength of 1 gr. of aconite to 2 drachms of lard— This is said to be one of the best local applications— that can be used in painful affections.

Case 8 Mary Sweeney – Ætas 15

Disease – Intermittent fever patient very anemic – ascities – slight delusions amenorrhœa – Treatment. Rx. Pul. Ipeca. et compositus X gr. at night – warm pediluv. also at night

Case 9 Mary A. Rush Age 15 y.

Labouring under suppression of the catamenia – with edema of the lower extremities – Treatment – Hiera picra at night and Rx Ferri Carb. ii gr Pul. Scille. iii gr. to be given twice daily – until it is no longer req.

Case 10 Adonile Gelds Ætas 16

Disease – more or less ulceration of the throat – and fauciums – treatment Iodide of potassa 5 gr. – three times per day – Extensively diluted in water in all cases. Suspected the disease to depend upon specific cause. as syphilas

Case 11– Rigid Bark Alcas 36 yr.

Disease– Supposed to be impact-ion of the feces of the colon–

Treatment of a purgative as follows

℞. prot Cloride of Hgyd. X gr

But Radix rhei XVI gr. make into pills– and give them in 2d hours

Case 12 Sarah A. Kenedy Age 20

Disease of the skin– Minor exanthemata– Of many days standing

Treatment as follows– ℞. arsenous acid 1/4 gr. in pill– 3 times per day– until cured or symptoms arise which would forbid its use longer.

Case 13 Alice Wastes Alcas 22 y.

Disease– pains in the back and head– of a full plethoric habit–

Treatment– Brisk cathartic and ordered to be bled 16 ounces——

Case 14 Ruth Biddle Ateas 30
Disease inflamation of pharynx introduced probang — with a solution of Argent. nitras.

Case 15 Ruth Cook — Ateas 30
Has not menstruated but twice in the last year — general health somewhat impaired. Treatment tinctura Canella abbe et aloe — One spoonful — at night as going to bed.

Case 16 Mary Landle Ateas 43
Complains of pain in the breast when presure is made on the Sternum and particularly of pain over the lumbar vertebra — More or less leucorrhea — all this a sign of irritation of the uterus. Treatment as follows — Rx. Ext. Cicuta ½ gr Ext. belladonna ½ gr. Made into pills 1 to be given twice per day — also ii gr of Carb. of iron with 3 gr. of sulph. Quinine — at night at bed time

Case 17 Catharine Burks Age 24
Complains of pain over the region of the liver – Has leucorrhea – Sensations of uneasiness in the womb – Has had four children General health disturbed somewhat. Treatment – Extract of cicuta 1/2 gr. three times per diem. Requested to return in a week.

Case 18 John B. Davis Aetas 8 –
Disease – cutaneous eruption – on the mouth and cheeks – a very common disease at this age – for which the tar ointment was prescribed – rubing the diseased part with it once or twice daily until cured

Case 19 James Evans Aetus 52
Has had intermittant fever
for several weeks- Spleen very much
enlarged- Treatment as follows
give Iodide of potassium five gr. at
night- and arsenous acid 1/12 gr. tina
per day after eating.

Case 20 Amanda Larhup Age 20.
Disease - partial aphona
caused by inflamation of the pharynx
and fauceium -
Treated as follows- introduced the
probang- with a solution of argent.
Nitras- to be repeated - and given
Rx. plumbum acitas 1 gr. Ci cutis 1/2 gr
made in pill - three times per day
In irritation of the larynx - the int=
=roduction of the probang - seems to
do much good - useing a solution of
the nitrate of silver.

Case 21 Mary Megaten Aetas 25.
Has a disease of the folicles
of the hair - Treated the case by hav=
=ing the scalp shaved - and applying
the following compound Rx. Carb amm=
=onia ss. ℥ Carb potassa ss. ℥. dilutid alcoh=
=ol 1℥ - To be applyed freely 3 times per day.
Also liquor potassa arsenitas VII drops
three times per diem - To be continued
until a change is observed.

Case 22 William Mc. Neal Aetas 11 Mon.
Disease - supposed to be en=
=largment of the Mesenteric glan=
=ds - for the relief of which - the
Iodine ointment was prescribed
externally and the iodide of potas
=sium internally - to be continued
until a change is produced.

Case 22 Mary Sulas Aetas 38

Disease - not properly under=
=stood — abdomen enlarged and extreme=
=ly sensitive to touch - also Dates points gave
much pain upon pressure - the most sin=
=gular case I ever witnessed. patient very ner=
=vous - treated as follows - give 15 drops of
Chloroform diluted three times per day -
To come back on next prescribing day.

Case 23 Margrett Thompson Aetas 18

Disease - connected with suppr=
=ession of catamenia - patient somew=
=hat anemic - Treatment Ferri Carbo=
=nis V gs. twice per day - and at bed time
give a pill consisting of Cinum Vales.
1 drop - Gummi Assafoetida ii gr.
The latter prescription is given on acc=
=ount of the nervous irritability of the
patient

Case 24 Francis Ogalihee Aetas 28

Has had intermittent for about two months — of a tertian type — no very unusual symptoms — and treated as here given — Sulph Quina V gr. — in the morning fasting — to be continued for twenty one days —.

Case 25 James Muller Aetas 16

Complains of pain over the region of the spleen — is of a plethoric habit — Ordered to be bled XVI ℥ and briskly purged with a mercurial cathartic — Nothing else thought to be required.

Case 27 Robert Hanner Age 18 y.

Complains of neuralgic pa=
=ins in the left side- which is not
increasd when pressed upon.
And prescribed for thus- ½ gr. of
Sulph. Quina- in the morning until
the disease disappears

Case 28 William McCord Aetas 16

Has disease of the liver & the
following symptoms- viz- constipation
of the bowels- evacuations of a chalky
appearance- more or less pain over the
region of the liver. Jaundiced condition
of the skin &c.
Treatment- at night warm bath & 16 gr.
of Ipeca. & Opi. Comp.- And every Morn=
=ning an emetic consisting of Tar. emetic
To be continued for 3 or 4 days. Mercurials
are avoided because of the patients scr=
=ofulous Tendency-

Case 30 John Lestley Aetas 18 years
Has a thickening of the ext=
=egumentis of one hand - of several wee=
=ks standing - and the treatment is this -
arsenical ointment of the strength 4 gr to
1 Ounce of lard - To be applyed often
and covered by a glove at night washed
off in the morning - Also take V drops
of Fowlers solution of arsnic - three times
per day - To be continued until a
change is observed - on the disease.

Case 31 James Sclerio Aetas 16

Chronic dysenetery of three month Standing - attended with much pain - and little or no fever - with ordinary symptoms treated this ℞. Pillula Hydrarg. 1ss gr. Opium ss gr. To be made into pills and taken three times per day.

Case 32 Grace Cranesberg Aetas 52

Has not menstruated for six years - bowels constipated with much pain - Stomach irritable and acid judging from what the patient ejects Treatment ℞. Aloes iii gr. Gamboge ss gr. Pillula Hyd. i gr to be made into pill and taken as required.

Also take Ferri Carb. 1.3. aceturn 0i mix them together and take a full table spoonful three times per day.

Case 33 Adoline Stosa Aetas 35

Complains of pain in the rig=
=ht side - about the region of the Ovary -
with much enlargment - requested to m=
=ake pressure by a strong bandage - and to tw=
=ke the following pill R. Iodide pot. 2 gr.
Ext. Cicuta 1 gr. to be taken three times per day.
until a change is observed in the diseased.

Case 34 W. V. Hastson Age. 1 year past

Has had crusta lactea for sev=
=eral months - standing involving the en=
=tire scalp. Treated thus - give Arsenical
solution 1 drop. every morning - Locally
use the Ointment of thre - which con=
=sists of equal parts of Oint. Tar Oint.
Sulphur and precipitate Ointment.
This is a compound extensively used
in this city in cutaneous diseases.
Prof. Mitchell uses it extensively in his
practice.

Case 35 Hugh Mc Fadden Aetas 20

Has had a cough for some months with palpetation of the heart - is very epcitable - cannot sleep well at night - Treated thus - Argent. Nit 3s gr. made into pill - one taken twice per day - to be continued for one or two weeks - according to the effect.

Case 36 Jonathan Hamer Age 30

Sycosis Mentâ - Has had for a month or more - This disease is said to depend upon the presence of vegetable fungi - in the hair follicles & is difficult to cure. Dr. Mitchell prescribed thus - Ammo. Muriat ss 3. pot. Carb ss 3. Alco. dilutum ss O. - dissolved & used freely as a local wash - Also to be taken 3 times per day V. drops liquor pot. arsen. - When a diuretic is at the same time used much larger doses of the arsenic will be taken

Case 37 Martha Maginnas Age 35

Has a disease of the mucus glands of the nose - internal & external. & thus treated - Liquor potassa arsenatis V. drops three times per day - treated locally by using Ammo. muriat 1℥. pot. Carb. 1℥ Whiskey 1 Gill - to be used freely from time to time. until the disease has subsided.

Case 38. John Hustes Aetas 30

A man that has been laboring under alienation of mind - of a full plethoric habit - And treated thus - Bled once per day - from XII ℥ to XVI ℥. and from the second to the fourth week bled from 6 to 10 ℥ every second day - At this time his health is much improved - Prof. Mitchell put him on the use of Argent. nitras ss gr. morning & evening to be continued for two or three weeks for the purpose of hardning the brain & as a sedative

Case 39 Ellen Augustus Age 18

Complains thus- palpitation of the heart- constipation of the bowels Suppression of the catamenia - And treated as follows- Devass volatil tincture of guaiacum ss ℥. tincture of digitalis ℥. Mixed- a table spoonful of which may be taken twice or thrice per day.

Case 40 Catharin Crofford Age 10

Supposed to be troubled with worms- the evidence of which is She says several have passed- also the symptoms indicate their presence- particularly the eruption on the skin- this sign says Prof. Michell when present may be relyed upon with much certainty. The treatment was this- Calomel Rhubarb & aloes aa. ½ gr. tartar Emetic ¼ gr. made into common sized pills and taken to the extent of purgation.

Case 41 Henry Cogan Age 32

Complains of pain in his stomach loss of appetite — rush of blood to the head once per month — skin dry, cold feet. costiveness — Treatment as follows — recommended Matrimony

℞. Sulp. Iron 2 gr. Pulv. Rhubarb 2 gr ditto Lis. ℥ss gr — Twice per day — warm pediluvia at bed time — Cause thought to be Masturbation.

Case 42 Marguette Hogan Age 16

Is very costive & emaciated of a sedentary habit — Catamenia has not appeared — prescribed for her as follows — Small doses of one of the saline cathartics daily until the habit of evacuating daily is established — Caution about eating things that she knows from experience do not agree with her — &c

In a few weeks much better

January 2d 1850 ——

Prof. Dunglison takes charge of the Medical Clinic

Case 1 Mary A. McGlaughan Age 18
Has partial paralises of the extremities— thought to be owing to effusion of Blood in the surface of the brain— Has had the Ague for a few weeks— Recommended dry friction to be used night & morning of the regions of the Spine— and nothing else.

Case Bridged Galihen Age 17
Says he stomach hurts and swells after eating— as the cause is not very evident— The case was examined privately— But not reported— from neglect no doubt.

Case 3 — Henry Mc Cormic Age 20
Carpenter — Palpitation of the
hart — But no organic derangment —
prescibed little or nothing

Case 4 Susan Yeend Age 20
Pain in the back-breast &c. Bad cough
palpitation — Spits more or less blood
for the last year — Dark blood-ven-
-ous — some fever every day — pulse rather
full — incipent Tuberculosis —
Treatment Iodide of Iron in liqu-
-id state — added to ℥i Olive oil —
To be continued many weeks

Case 5 Ann Foil Age 50
Complains of Constipation
of the bowels — Treated thus
℞ Sulph mag. ℥i Pot. bitsat — 13. Hr
To quart water — Take a sufficiency
To operate on the bowels

Case 6– William Scott Age 16
Weaver– Has ague & fever
for two or three weeks– tertian Type–
Treatment as follows– Rx. cinch
=ona powdered ss 3 three times per
day continued for many days

Case 7 Ann Thompson Age 50
Has had rheumatism for nearly
Two years– joints much swelled
pains more severe at night than
at other times– sweats at night–
Bowels much constipated at 10
days at one time– Sulph. Quina
has been used extensively in this
disease– Treatment Pulvis cinc-
-hona ss 3– three times pr day––
active friction used twice per
day over the parts affected
20 Minutes at a time.

Case 8 James McHutt Age 6

Recommended that a poultice to be applied and the hair shaved off called tenia capitus Tricosis — keep the hair cut down — wash the head be wash with soup 6 times per day — wash the head with a strong solution of sal carbus or Carb. potassa —

Case 9 Mary Caraway Age 52

Had a bad cough spits some blood — percussion good — has no appetite — with some pain in the stomach —

treatment — Olive oil & Castor oil aa — applied over the chest at night Paregoric elixir given for the purpose of allaying the cough which is very troublesome

Case 10 Catharine Saco Age 54
complains of paine in the stomach - and paines up towards her shoulders - not much appetite - Treatment Rx Carbo. Li gr XV Magn. carbo. gr X Zingiber gr V M to be Taken once dga ——

Case 11. Bato Herly Age 28
Swelling of the face - follicular disease of the skin - Treatment teaspoonfull of Sulph. of magnesia every morning - Skin to be washed with a infusion of flaxseed tea. Gentle purgative recommended as occasion requires —

Case 12—. Patrick Coil Age 45
Complains of cough and pain in the chest— oscultation reveals nothing serious— Put on the use of Oleum æ. cellus Jacoris— one teaspoonfull 3 times per day— Generous diet allowed &c— Dr. Dunglison thinks tubercular has commenced—

Case 13— Margrett Graham Age 45
Has had ague— in an anemic condition— Treated by giving Sub Carbonate of Iron X gr three times per day ——————
Nothing else thought to be necessary in the case &c

Case 14 James Love Age 22
Complains of dispepsia
with pains in the left side
Treated thus — ℞ Carb. liq. x gr Mag. su-
-lph x gr. Zinziber ✓ gr — twice per
day — Good diet — principally an-
-imal — allowed

Case 15 Margrett Murry Age 18
Has been sick 3 months —
vomited blood 1 gt. at one time —
Sometimes fever thirsty — Shortness
of breath — Treatment thus
℞ Mag. sulph ℥ vi — acid sulp. dil. xx dr
water f. ℥ vi Am Take a Teasproful
3 times per day — also it was
thought proper to put her on the
use of Cleum Jecoris assells —
a teaspoonful 3 times per day

Case 16 Abigal Bogu Age 18
Eruption about of the ear of two years standing - Troublesom to treat wash the part or the ear - with pearlash and castile soap - several times per day. nothing else done

Case 17 George Crow Age 28
Had a cough for 8 weeks dulness on the right side - more or less fever every day - treated thus - cod liver oil - one teaspoonfull 3 times per day — live on animal substances

Case 18 James Greenor Age 42
Rheumatism of several weeks standing - Recommended him to be thoroughly rubed every morning half hour every day — in order to make him have confidence give him cochineal tinct of — dont forget this treatment

Jan. 16th 1850

Case 19 — Michael Crowley Age 43
Difficult respiration more or less coughing particularly in the morning — No derangement of a very severe nature on oscultation Treated thus — unguentum Antimoni — Nothing else given This was applyed

Case 20 Richard Crivel Age 30
Eruption on the foot of several Months — called psoriasis treated as follows — A wash made of a solution of carb. potassa used several times per day & also an ointment of creasote — applyed frequently —

Case 21 Jane McPee — Age 6.
Has had inflamiation of the brain - encephalitis - loss of speech — which Dunglison says will disappear — prescribed Hyd. cum creta — three times per week Dont forget that calomel may be given to children with impunity — But be careful a the age of dentition

Case 22 Elizabeth McPee — Age 6m
Child has more or less convulsions — in the morning of a few days standing —
Prescribed as follows — Ipecac iii gr. in the evening — in the morning 1 gr. of calomel — to be continued for several days —

Case 23 – Emmor L. Edwards Age 10 M.
Crusta lactea – of not very long standing – Caught probably from another child – prescribed about as follows wash the child well with Castile soap 5 times per day – after which it is to be greased with Goose grease – To be continued for one week – Has is fall on Goose grease ———

Case 24 – William Looney Age 22
Has had pain in the right side of the chest – oscultation reveals organic derangement – and owing to this condition of things – it was thought to give Cod liver as the best remedy – This is thought to be a doubtful case –

Case 25 James Trumbell Age 25
Had more or less diarrhoea for 6 months standing - not attended with much pain - discharging more or less blood - For this condition of things the oil of turpentine was prescribed 10 drops 3 time per day

Case 26 William McGraw Age 25
Has had more or less indigestion for one year - eats indiscriminately all things - consequently he was restricted as to his diet rigidly - recommended him to take a dose of Carbo-ligni 2 per day -

Case 27 Daniel Taggart Age 45
Occupation Weaver – has
cough for the last 6 years –
Osculation good – prescribed
for him externally unguentum
antimon – & simple Syrup –
to be Taken 3 or 4 times per day –

Case 28 Jane Gray Age 31
Has coughed for 3 months
with pain in the side the
Nature of which is not well
understood – is to be prescribed
for hereafter –

Hospital Clinic Dr Wood Jan 23d 1850

Case of swollen legs – dependent upon inflamation of some of the veins of the pelvis – the limb is much enlarged – in consequence of effusion – From the commencement the pulse was so weak that bleeding was inadmissable – calomel has been given to the extent of effecting slightly the mouth – Squills & digatalis were given as a diuretic – Blisters continued nutritions diet allowed

Case 2 Chronic Gastritis – had it for many days – vomited much for which he has mainly been put on the use of Nit. Silver – given 3/4 gr three times per day – Wood says that this is the best remedy we are in the possession in this disease

Case 3 Typhoid fever in the commencement he was very feble requiring stimulation the symptoms are very decided — the Tongue has been very dry — more or less cough — oil of turpentine he says is always one of the best remedies in this condition of the Tongue 10 drops 3 or 4 times pa day — stimulated more or less

Case 4 — Swelling of the Joints recommended the patient to be put to bed and Blisted over the Joints

Case 5 Case of anemia of a Girl as there is no organic derangement she was put on a Tonic treatment as the Carb. Iron & good diet &c

Case 6 Neuralgia of the lower extremities for which Sulph. Quinine was administered not accomplished the cure on account of effecting the head now giving 10 grs- of Sulph iron three times per. day ——

Case 7 Case of paraplegia of some days standing cause not well understood— Has been treated as a rheumatic case— did not accomplish the effect— was then put on the oil of turpentine without effect likewise— pulse not excited nor any other disagreeable symptoms— put on the use of Blue pill 3 times per day— continue the Mercurial treatment until constitutional signs present—

Case 8— Female anemic had a child a few weeks age more or less ulceration of the womb determined by the Speculum— and the nitrate silver applyed — once doing well under the treatment

Prof. Dunglison — Jan. 28—50.

Case 29— Thomas Baily
Chronic Rheumatism — oil of turpentine given— And the principle thing upon which he depends is friction if properly applyed—

Dunglison says Salph Quina is one of the best sedatives we are in possession of— in large doses —

Case 30 Sobiah Daily Age 21
Has an affection of the Joints particularly the shoulder & wrist— pulse active no other derangement worthy of notice— Prescribed thus 5 grs— of Sulph— Quina Three times per day— Sulph Magsia— when required— &c.

Case 31— Ellonor Armstrong Age 21
Has had Ague & fever— for many weeks— More or less cough &c ~~&~~ auscultation reveals very great derangement of the lungs— pulse 120-130 hectic fever— he thinks there are cavities in the Lungs case unpromising— prescribed some of the preparations of Iron

Case 32 William Hays Age 32
Case of ulticary of two months standings- Taken Sulphur & cream-or tartar- Prescribid thus for it Soda Hexposulphate VI grs- 3 times per day-

Case 33 Alfred Reaves Age 19
Has cough spits much in the morning- pain in the chest appetite good- Left lung much effected or dull- the case is evidently one of Tuberculosis- the result is very doubtful- & prescribed for thus—
Take animal food fresh- ung-untum antimoni Liquor ferri Dodidii

Case 34 Ellen Hagen Age 15

Globus Histericus — the fits render her at times insensible — Dunglison thinks it to a great extent is assumed — gives a Mixture diabolicus. Ry. Tinct assa. Tinct castorea Tinct aloes aa 6 Drops 3 times per day —.

Dunglison says — when an amount of sugar is added to venous blood it will change it to a florid red as decidedly as when it is passed to the lungs —

Case 35. James Hagens Age 18.

Cardialgia — of many days standing — give his favoriate prescription of Carbo. liq. Carb. mag. Zingebras aa — x grs — given 3 times per day just before eating ——

Case 36 – Peter Gambo Age 30
Case of cardialgia or dis-
-pepsia of some ~~for~~ Months Stan-
-ding prescribed for Thies – Soda
dicarbonas 20 grs twice per day
in conjunction with chamomile
flowers infusion —— To be continu
ed –

Case 37 – Charles Bennington
Hees had difficulty of breathing
for many weeks coughed much
oseultation not very bad – put on
the use of Olive Emulsion teaspoon
-ful 3 Times per day – also Liquor
Iodi Arsenicalis – 10 drops 3 times
per day –

Case 38 – Michael Clouche Age 3
Bronchitis – to be treated
Thus a simple cough syrup & pa
-regoric &c –

Case 39 Hugh Campbell - Age 27

Is very anemic - has been affected with hydropic effusions - percussion indicates a diseased action of the lungs particularly on the right side - treated thus a solution of the Iodide of Iron 10 drops 3 times per day - also an infusion of Juniper Berries & Bitartrate of potassa

Case 40 Michael Dudd Age 40

Weaver disease of the lungs coughs some - has spit blood not much. Good case for prescribing the Oleum Jecoris asselli - a dessert spoonful 3 times per day -

Case 41 Ellen McDuffee Age 32

Head ache once in ten days Dunglison says when a headache comes in this way That it usually continues until 45 years —

give his favorite prescription
Cort Cinni X gr Mag. Sulph. X gr
Zingeb 8 gr — three per day —

Case 42 Michael O'Brian Age 7
Effection of the lungs particularly
on the right side occultation
very dull — depposition evidently
tuberculosis — prescribed Oleum
Jecoris asselli —

43 Case Sarah Bond Age 18
Cutaneous euption of the
hand — of two years Standing —
principally on the hand — treated
thus Tinct Iodinum Comps — 10 drops
3 times per day — in Syrup — ungn
-entum acitatus —

Case 44- Susan Hamilton Age 29
Has great constipation of the bowels- evacuation in 9 days usually- digestion not very good prescribed for Thus- ~~Sulph~~ Mag- & Bitart potassa- in conjunction with Sub carb. Iron- Twice per day-

Case 45- Patrick McHenry- Age 29
Complains of giddiness of head of long standing- digestion good not much the matter- fully innervation- thought to depend upon masturbation- Put on the use of Sub. carb. iron- pretty freely-

46- Owen Robertson Age 30-
has had a disease of the lower extremities- of long standing

47 Ann Jones Age 20
Eruption on the face of 3 m-
-onths standing — a Syrop-cones-
-ting of vinegar Molasses & Butter Stewed
together —

Case 48 Ellen Mc Kibley Age 60
pain in the left side — flatu-
-lency of the bowels — Histerical —
prescribed thus — Carb lignii
Carb. Mag — aa — ½ gr. Zingiber 5 gr.
Twice per day —

49 Case Michael Leach Age 30
Pain all over — and Sickness
over the Stomach — coughs more
or less — has spat blood — not rec-
-ently — prescribed nothing but
the application of a pitch plaster
with a small amt — of cantha-
-rides to be continued for Month

Case 50 John Pendle Age 40
Tailor - generally worse after
selling long at a time - pecu
constitutional - recommended a pite
-h plaster with Canthariclies

Case 51 - Philip O Brien Age 20
Laborer has rheumatism of a few
weeks standing - for which a Stim
-ulating liniment was prescribed - the
friction considered the principal
agent

Case 52 James Mulholland Age 13
Has cough & fever every day - has
passed worms - which Dr. says is of lit
-le importance - the great indication
is to destroy the tendency to worms -
prescribed - Thus Oil of turpentine one
drachm in Molasses - continued 2
or three days - improve the tone of system

Case 53 Margret Holless Age 46
Anorexia - constipation &c - for which a cathartic was given - consisting of Sulph. Mag - passed many days without any evacuation -
Case 54 James Jones Age 40
Weavir has coughed more or less for the last year - Growing worse every month - has an eruption of the skin over the abdomen - For which was prescribed - Liquor ferri iodidi 10 drops 3 times per day -
Case 55 John Crow Age 40
Skin slightly inflamed leg enlarged - for which an alkalin wash was prescribed

Case 56 This case has been before us - several times - it being the one of suppression and enlargement of the abdomen for which Dr. Dunglison prescribed 30 grs of Subcarbonate of Iron - with a bandage lightly applied to the abdomen - a case which is hard to manage and very singular -

Case 57 Margrette Hamilton Age 5
Eruption of the Skin on the mouth & face of one year Standing - Much like the crusta lactea - Prescribed thus Rf. Rhei pulv. 1 part - Mag. calc 3 parts Zinc part ss - Sufficency each day - Unguentum Zinci locally ——

Case 58 Daniel Dias Age 29
Has cough Spits Blood has had cholera &c. has had some fever - - Ordered in the case a

a mucilaginous expectorant — & also Rx. Mag. Sulph. ℥iii dilute Sulph acid ℥x dr. & e — given to the extent of acting on the bowels —

Case 59 Sarah Dize Age 12
Loss of appetite — catamenia not appeared — Ordered anilled diet & some preparation of Iron

Case 60 Daniel Wing Age 30
Heavy pain very severe in the upper extremity — for which friction was prescribed as the principal agent —

Case 61 Dennis McWatt Age 30
Heavy tenderness over the region of the kidney — prescribed Magneto electricity —

Case 62 John Fyson Age 20
Prominent Symptoms - Cough
pain in the breast
February 13th 1850 -

Case 63 Thorton Craig Age 30
Has a disease of the heart - the
Bellows sound is plainly heard - More
- or less regurgitation - at the heart
In such cases there is no remedy that
will do any good - Diet is the
principal thing.

Case 64 John Walk Age 40
Difficulty in walking - paraplegia - for which case was prescribed
the Strichnia 1/16 of gr. 3 times per day
to be continued until a sensible effect
is produced. in continuance of urine -

Case 65 Patrick Heendly Age 60
defect in hearing of some standing
not well understood to be examined
further—

Case 66 Julia Sullivan Age 40.
Bowels constipated - evacuations
once per week - catamenia suppress-
-ed carb lignive prescribed - anim-
-al diet vc.

Case 67 - Andrew Hoger Age 22
sailor - complains of pain —
pulse quick - osculation indicates dis-
-ase of the lungs - for which the
Oleum Jec. asselli - a teaspoonful
three times per day -

Case 68 Thomas Andes Age 60
case of hemaplegia - come on
suddenly - cause thought to
be a hemorrhage in the brain
treatment Nothing but friction -

Case 69 Emmor Willey Age 3-

Case 70 Mary Talbert Age 30
Husband Cucomhoea for Man
any Month bowels could be ca-
-ted for which a Liq Ferri-
Iodidi 3ii- water Oii to used as
a wash with a Syringe 4 times
per day ——

Case 71- Patric Dandson Age 35
Heavy- cough Spits almost
every thing- some blood- bronch
-itis treated Externally by Ung.
Antimo. in conjunction with
Paregoric-

Case 73 Sarah Donovan Age 18 Irish

Very anemic - thought to be
falty innervation - No disease
like organic derangement -
treatment Some of the prepar-
-ations of Iron - Aminal diet -
gentle exercise &c -

Case 74 John Dewy - Age 20
Blacksmith - Head Swelling
of the face & head - with sym-
pathetic affection of the hyoid
the result of a debauch -
For which a cathartic was given
of Jalap & Bi tartrate of potassa
to be continued 2 or 3 days

Case 75 Margrette Donivan Age 55
complains of severe pains
in the small of the back & in
one leg — case of neuralgia —
For which the Sub carbonate of
Iron was given in very large
doses — do not for get large
doses must be given —
in half drachm or more —

Case 76 William Houston Age 40
Has a bad cold caught
it by moving in a new house
for which the house Mixture
was prescribed with parag
-oric 16 drops ℞ —

Case 77 David Baird Age 60
Has hemorrhage from the
bowels — Much pain in the
intestines tarage cracked

for which a gentle purgative was given Castor oil & laudanum — ℞

Case 78 Henry Baily Age 28
pain in the heart — Pulus on the right side ~~Obs~~ Percussion thought to be slight dep pos. ition — of a Strumous habit — For which the liquor Iodidi compositus — in simple syrup 10 drops three times per day

Case 79 David McBride 50
Sciatic pain — effecting the lower extremities — Friction the remedy —

Philadelphia Penn. Nov. 28th 1849

Record of the most important cases operated upon by Profs Mutter & Pancoast during the winter which are worthy of note as they presented them to the class.

Case 1st Disease Ejostosis on the Temporal bone which had been removed once before 6 inches at its base 2 inch. high cut away about two-thirds and then applyed the actual cautery

Case 2 Disease Congenital aneurism by anastimosis on the fore arm of a child treated by passing through needles and strangulated by ligatures after the part sloughs treat it as an ulcer or any thing of that nature.

Case 3 Disease

Caries of one the bones of carpus - in the second stage of the disease treatment of a tonic nature - allowing a generous diet and given Cast of iron.

Case 4 Young Lady accidentally runn a needle into her arm - as it could be felt it was cut down upon and removed Never undertake to remove a foreign body without it can be distinctly felt

Case 4 Deformity - Known by the name of Hare-lip - in this case it is single - symply regiveing the edg-es of the notch to be straightened and then bringing them together - after which the hare-lip needles should be pass-ed through the lips and secured by ligatures. - in the course of 3 or 5 days - remove the pins by a gentle rotatory motion - and allow the parts to heal —

Case 6 Exostosis of the bone.

Situated on the temporal bone
The dimensions of which are - 4 inch-
-es in diameter - and 2 inches in hight -
Made an incision through the skin
and dessected it off. Then took a saw a-
-nd cut through a part of the tumor - it
proved to be soft within - consequently all
of it was not removed. after the rem-
-oval of about one half the tumor then
the actual cautery was applyed.
The reason why the entire disease was
not cut off. Doubts were entertained
as to the soundness of the bone und-
-erneath - This patient was operat-
-ed on once before for the same disease
The chloric - ether was administ-
-ered which had a very happy
effect - the patient affirming
that she was insensible to pain

A discription of the chimney seen at the Deaf & Dumb Asylum to prevent smoking



If constructed thus wind may blow from any direction and yet the chimney will not smoke.

Moddle of the pleasureing railroad at Paris & London



Made of tin as a toy very ammusing.

Philisophical efperiment with a chain or rod on the end of which may be a ball.



use a string made of leather as its is better than any other

A stove may be constructed in a manner that it will be required to be replenished but once in twenty four hours



This is an excellent contrivance as there is no escape of smoke or dust into the room

Case 7 Hypobium

A disease of the eye - where there is pus in the anterior chamber of the eye - it is an affection dependant upon specific inflamation - Put the patient on the protiodide of Mercury - If this remedy does not succeed - in absorbing the pus - an incision must be made into the abscess - in order to give exit to the fluid

Case 8 Disease - Of many years standing - bony cataract of the eye so as to incapacitate the eye - and to seriously derange the function of the other organ - As the office of one of the eyes is destroyed - the patient was recommended to change his employment - for one which he could obtain fresh air

Case 9 Orchetis - the testicle is in a state of accute inflamation swolen to the size of a goose-egg - very red in appearence — directed the patient to keep the horizontal posture be well purged - cold water applic-ation to the organ &c. until well.

Case 10 Disease - deafness caused by obstruction of the eustachian tube treated thus. passed - a director through the inferior meatus of the nose - into the posterior part of the pharynx - the dir-ector being slightly curved - drawn a little forwards & turned outwards into the orifice of the eustachian tube - there passed a current of air forcible into the tube which is to be repeated — causing little or no pain to the patient. or inconven-ance at the time

Case 11 Staphylorraphy - The op=
=peration for cleft - palate - this was d=
=one by freshning the edges of the cleft - and then
passing the ligatures through in such a way
as to bring the parts in coaptation and keep=
ing them there until union is accomplished
Case 12 Extirpation of the parotid
gland - In the first place an incis=
=ion was made through the skin and it
was dessected off the gland. Then all
=other tissues were divided until the
gland was reached - after cutting away
part of the styloid muscles - the back
part of the gland was removed princ=
ipally by the finger and handle of the Scalpel = The
external & internal carotids were ligated
& also the external jugular vein. cutting the
Vidian nerve which destroyes the action muscles
going to the face. patient fainted twice dur=
ing the opperation - cut away the styloid proc.

Case 13 Disease - Ostetis of an active character - The disease can be determined by pain on sudden shock - and bone much swollen in a general way - in this case the tibia is affected - and treated thus. Leaches freely applied - and the patient well purged. after a sufficient reduction of the inflation give Iodide of potassium with a view of bringing about a healthy action in the diseased part and thus obviating the use of the knife

Case 14 Paronychia -

commonly known by the name of whitlow and when more grave called felon. inflamation of the finger nail involving the adjacent tissues. Prof. Müter told us when the nail of the finger is loose from inflamation - that we should always remove at once - which may be done by taking hold of it with a suitable pair of forceps - And twisting it off.

Case 15 Hypertrophy of the Tonsils.

Of several months standing - being the result of inflamation - These glands may be easily removed with proper instruments - And from the situation of the internal carotid artery care must be taken that it is not wounded - which may be readily done - by only cutting half the gland away - It is stated that the removal of this portion will be sufficient - To overcome the difficulty.

Case 16 Ejostosis - on the os frontis of several months growth - The tumor was of the following dimensions viz - two inches in height & an inch in diameter at its base - Made an incision through the ent=-egument so as to cover up the part after the ejcision of the tumor - And then saw=-ed into the body dividing it in the middle. and detaching it at its base with a chisel.

Case 17 Luxation of the femors - The deformity being congenital - the child is a female - This is a malformation which I hope never to see again - as noth=-ing can successfully be done to remove it Dr. Mutter is of opinion that the acitabul=-ar cavities are entirely wanting. The case is also complicated with club-foot. Consequently the anxious mother was told to go home and let no one touch it.

Case 18 Necrosis of the radius at its inferior end. The patient being a boy about five yeass old. When a bone in this disease is found to be detached it should then be removed and not before by making an incision down to the loose bone. and then treat the wound as any other — at the same time improve the patients constitution.

Case 19 Fatty Tumor —

Situated in the subcutaneous cellular tissue on the back of the neck — made a free incision through the skin and then litterly gouged it out with the finger = and in this prevented hemorrhage &c

Case 20 Obstruction of the ductus ad nasum— Producing a tumor in the internal canthus of the eye— treated thus— passing a sharp pointed bistoury through the stricture a pin made for the purpose was then passed into the nasal duct= which may always be determined by requesting the patient to blow his nose— When the blood will pass out of the nose. The pin must remain in the duct until the stricture is overcome permanently.

Case 21 Neuralgia of the [illegible] of not long standing— produced by cold

Case 22 Noli-Me-Tangare —
a disease which is of a concer=
=ous nature nearly always appearing on
the face — or more particulary on the upo=
=per lip — This is a disease which gives
the Surgeon much trouble — And was
Treated Thus — ℞. Sum Elemi 1.3. Balsam
Tolu 1.3. Basilicon Ointment ii 3. Applyed
freely and frequently — This compound was
used very extensively by Dr. Physic.

Case 23. Invasion — of the toe nail
which is very common — and painful
to the patient — And very troublesome to
the physician — Treated thus — take
a piece of lint — and roll it well in
burnt Alum and then — push it down
around the edge of the inverted margin
of the nail — and repeat this — as often
as occasion may require. Dr. Mutter
says that this will nearly always succeed

Case 24 Staphyloma of the cornea In this case it has produced entire blindness from the opacity of the cornea. In a general way it is very difficult to cure. And in this case is very painful from distention. The only chance for relief is to open the eye and in this way remove the distention.

Case 25 Encysted Hydrocele

Said to be congenital. Boy about five years old. Treated by Acupuncturation by the insertion of two or more needles this will do very well in children instead of making a larger opening. In children no stimulating injection must be used. On account of the tendency to inflamation

Case 25 A man who has been affected with inflamation of the eye - the result of which is the patient sees doubly - and his eye is very painful - Prescribed for thus - active purgation to be continued for many days - and locally some anodine - may be used. forgoten what.

Case 26 - Elephantiasis - Barbadoes leg - This case is of several years standing - the extremity is 3 or 4 times its natural size - has an unnatural white appearance - is rugous & somewhat scaley. This is a disease for which little or nothing can be done. Prof. Mutter directed him to apply a bandage tightly and occasionally a small blister - Giving the patient but little encouragement as to recovery.

Case 27 – Carcinoma of the inferior maxilary and base of the tongue Prof. Pancost – two weeks ago – removed the diseased at that time. It has rapidly returned = and treated thus an angle was made in the mouth extending to the base of the tone – dissecting off the skin – then about half of the bone longitudinally from the second molar of one side to the inscosior teeth of the opposite was divided with a saw = To prevent suffocation a ligature was passed through the tip of the tongue and held by an assistent – also the lingual artery tied and ligatures passed around a portion of the side of the tongue strangulating the diseased part – This is an operation of great difficulty to perform – and in this case – very uncertain in its result – the constitution is much impaired = and the disease may return –

The nutrient arteries of Lungs have no returning veins which is an anomaly in the Circulations of the human body."

One thing is certain; that the first sound commences, continues, and Ends with the contractions of the Heart. The contraction of the heart is the cause of the first sound. The heart contracts on the blood in the left Ventricle and forces it into the aorta, then the heart rests - and then Silence - only broken by the closure of the aortic Valves - which Makes the Second sound.

☞ The certain Signs of Mitral Regurgitation is heard alone behind with greatest intensity between the 7 and 8 Vertebrae to the left and near the Spine ☜ The Evidence of aortic Disease Regurgitation are best heard over Semi-Lunar Valves -

Case 28 – A man who is having an artificial eye – at this time the eye is not in a suitable condition for its introduction – in the first place all the fungus growth by small scissors – after which a wash must be used up to the time such operation

Case 29 A child of about 6 years old – was treated by puncture the tooth removing 1 or 2 drachms at a time – there pitted a cast of plaster of Paris – containing 2 weeks then drawing of 2 more drachms and this is Each to nothing else done on this case

Case 30 A child - with club-foot of one year old - take a small scalpel and cut from without in passing a knife under the skin longitudinal dividing the tendon and then leaving the part

Case 31 Girl 6 years old from inflamation the uvula is elongated - so much so as to make deglutition difficult - was removed very easily by the proper instrument for that ~~kind~~ case. Caution is necessary not to cut the carotid artery which runs in the back part of the Gland - Do not forget this in practice

January 2d 1850—
Prof. Pancoast takes charge of the Surgical clinic—

Case 1st A fibrous Tumor on the tongue of the size of an almond— Removed by holding the Tumor with a pair of forceps cutting on each side— arrested the hemorrhage by ice—

Case 2 Polypi— of the nose For the extracting of which use forceps— In this case 6 or 8 large polipy were extracted hemorrhage may be arrested by sponge passed through

Case 3 Ectropion of the eye lid. The commissure of the eye being elongated — Removed the deformity by cutting out a triangular bit and bringing the edges together — by sutures Nothing else required in the case.

Case 4 Tumor of the upper eye lid — Operation by incision in the direction of the eye lid passing the finger into the eye or under the lid — and then turning the Tumor out — and putting a suture through the divided —

Case 5 Fistula Lach—
=rymalis— Of long stan
=ding— treated by making an
incision with a sharp point
ed bistoury— into which inci-
-sion a silver style is to be intro-
-duced— in a few days the style
is to be removed—

Case 6 Umbilical Hernia
of a small child—
treated by passing a seg me
nt of a nutmeg into the
cavity over which a ban
-dage of adhesive plaster
is placed— and kept
there for many months

Case 7 A cicatrice producing contraction of the arm - & remedied by cutting the contracted part - into which a slip of skin of the same part - was placed -

Case 8 - Enlargement of the tonsile glands - Removed with the instrument for that purpose

Case 9 Equine Varicos - Of many years standing - The nature of the deformity requires the division of the tendo Achillis - which was done with a small scalpell raising up the skin - and then dividing the tendon -

Case 10 Whitlow - Treated with a leg poultice - after which it should be opened if required —

Case 11 Boy about 12 years old internal strabismus of the right eye in this case divided the tendon of the internal rectus muscle - giving little or no pain or no haemorrhage

Case 12 Boy 8 years old — double strabismus - Thought to be too young to operate — Never operate for strabismus on a person under 8 years old - for the reason that the muscles have not got their proper situation and lengths —

Case 13 – False anchylosis of the elbow joint – the result of keeping the arm in a splint for two weeks – Recommended the patient to make passive & rotatory motions once per day – using more or less liniment freely applyed

Case 14 A Boy – who received a stroke on the head – result was hemorrhage from the ear Such cases are attended with much danger – on account of inflamation of the brain purge Bleed – &c according to the nature of the case & calomel is the Sampson under such circumstances.

Case 15 One of much interest as the amputation is required by White Swelling — he was getting from the bed the thigh was fractured — D Mutter thinks one operation is as good as another — flap or circular be careful and leave flap enough to cover the stumps — in this case the circular operation was performed — ligatures were then applied to all the bleeding vessels — twenty minutes then elapsed before the dressing was applied —

Case 16 – Tracheotomy performed for the relief of croup – Dr. Pancost says he has performed the operation with success in one dozen cases or more within the last year – where he was confident death would have been the result without so doing – commence thus – enter your knife at the lower part of the cricoid cartilage and cut down to within an inch of the sternum through the skin only – then introduce your director at the lower part of the wound dividing the fascia – then with the handle of the scalpel divide the muscles &c – down to the thyroid gland – around the isthmus place a ligature on each side – & then divide it. Now pass a trocar through the trachea – & hold it firmly – making an opening large

enough for the passage of air freely & remove the false membrane &c. leaving the opening exposed until the danger in the case is over— if the inflamation indicates it a Strong Solution of Nitrate Silver may be used with advantage from time to time— in the course of a few days the parts may be coaptated &c— A small triangular space may be taken out in order that the air may pass more freely—

Hospital Clinic Surgery
Case Performed by Norris—

Caries of the foot removed the os cuboides and the bones in front—

Case 19 – Large abscess over the region of the scapula – opened it at the lower part of the tumor discharging a large quantity of pus –

Case 20 Hydrocele of a man grown – draw off the serum & then inject the cavity in which the serum was contained with the diluted tinct of Iodine diluted 2 or 3 times – in injecting this fluid be careful and not let the air enter – Throwing it in & out 3 or 4 times without taking out the nozzle of the instrument continue this process – until pain is felt in the cours of the cord – Then

drawing off all the fluid-
ther's in the great Majority
of cases will effect a cure

Case 21 Cancer of the lower lip
of some months standing—
The operation was performed thus
cutting away the greater part
of the lower lip & a portion of
the upper in the angle—
The arteries were then ligatured
being branches of the facial—
Then the incision was continued
down to the angle of the jaw &
bring the flaps up into the part
from which the part was
removed— Nothing more req-
-uired in the case— than bring-
ing the parts together with
sutures &c—

Case 22 Acute synovitis of a few days standing — in the first place Apply a splint — bleed purge &c. be careful in such a case —

Case 23 A case of phlegmonous erysipelas — can be cured by the application of Tinct of Iodine — purge &c

Case 24 Case of distorted limb which has been thought hard to cure — can be readily cured by the application of a bandage in a few weeks — Do not forget this —

Case 25 A large tumor of slow growth - not effecting the constitution - in short it is a benign Tumor - it is as hard almost as Marble - It is almost as large as a half Bushel The exploring needle was introduced in order to determine its nature - The chloric ether was given - & then a crucial incision was made into it - & the entire skin was stripped off - every artery that was divided was ligated immediately in order to prevent hemorrhage as far as possible it was principally stripped out by the fingers using the knife but little - On cutting into it it was found fibro-fibrous The part from which it was removed

was exposed to the air until it was coated over with a smooth surface - then the skin was brought together through which ligatures were passed - & the operation was over.

Case 26 Small aneurism on the forehead - treated thus the aneurism was cut out and hair lip pins passed through it ——

Case 27 A large tumor situated at the inner part of the thigh - which is soft & flabby - and has a pointed extremity - an incision was made through the tumor and it was skined out without using the knife - which principally consisted of fat - or rather fibrous in place - Chloric ether was given and the patient was not in the

least sensible to the operation the hemorrhage did not exceed one gill altogether— a few sutures were passed through the skin and light dressing applyed If symptoms of inflamation are developed Dr. Pancoast recommended the Tenth of a gr. of Tar. Emet. & Tenth gr. Sulph. Morphia in mucilage given pro re nata in such cases.

Case 28— Inflamation of the lymphatics glands of the hand— a very severe disease— put a blister all over the hand purge give opium— a good diet Blister is the dampston in the case— look out for such cases—

Case 29 – Disease of standing – seminal emissions – peculiar to some persons – in this case give the cold bath good diet Muriatic Tinct ison & Tinct cunthur – given together – until strangury is produced – If this will not do an instrument in which hit silver is to be introduced & nigh an injection of 5 drops of laudanum with an ounce of cold water

Case 30 Removal of the Tonsel which should never be removed if the gland be soft – there is no necessity for the removal of all this gland Dr. Muter says in 99 cases out of 100 this will be sufficent –

Case 31 Fistula - lachrymalis
In this case a Gold Style was introduced if inflimation follow Take it out immediately

Case 32 Caries of the wrist - for which it becomes necessary to amputate the fore arm - he says never amputate the arm so low down that you have not sufficient Skin & Muscles if hair be present always shave it off - if you take up a nerve with the so that screames out cut off the ligature - always - Take up all the arteries & then let the wound be exposed until all the bleeding ceases - in this there was not half an ounce of heamorrhage

Case 33 A case where a Boy had a urinary calculus ~~[illegible]~~ which lodged in the urethra - and produced ulceration - at the back part - which was tried to be relieved by passing a ligature around the opening in the same way that you would in an artery -

Case 34 Case was this boy 12 years old laid out on cold night - frozen both feet badly - in the morning from the history of the case - He was warmed too rapidly the result of which was one and perhaps both feet will have to be amputated which was done about 4 inches from the ankle - cutting is nothing - the secret is in taking up the arteries without including the nerves - for when they are included the ligatures must be cut off -

Case 35 Gathered Breast – the result of acute inflamation – in such cases apply many leaches and afterwards lead water – there are tasty ones – to the extent of producing nausea.

Case 36 A Boy – Single hair lip after cutting all that is necessary then introduce 2 or 3 pins as the case may be

Case 37 one of great interest – In this case the chloroform was given – Hee has had inflamation of the lower part of the abdomen involving the Scrotum & one of the testicles is much retracted and there festulus openings in the one – there about Mulberry – The testicle was partly adherant to the pubis

after this was overcome

Case 38 Cataract in the eye of an old Man – the operation in this case is couching which was cut in sebeal parts – & the hard part couched – the lends was then left in its place —

Case 39 Cataract in the eye of an old woman – Dr. Pancoast always cuts through in a manner to miss the iris &c. all this is done by a curved needle

Case 40 Lupus Epeldens
it is an incurable disease apply the Gun cotton in Ether over the diseased part also give Donovan's solution in various kinds of ulcers this

Gun cotton in stue will be attended with good —

Case 41 A curious case of a tumor of blood immediately under the eye treated thus — The part enlarged ~~blood~~ incised in a way to prevent deformity the ~~th~~ tumor pealed out with the handle of the scalpel — Ve

Case 42 Boy 14 years old — enlargement of the mamma — giving or secreting milk — always in such cases — have the gland washed with soap & water

Case 43 a child one year old - contraction of the leg on the thigh a result of inflammation - to be treated by an instrument for the purpose of straighing the limb which is to be done gradually - good diet tonic &c. salt bath

Case 44 Osteo Sarcoma

The chloriform in this case was again given - as this same woman was operated on in the fore part of the session - dont forget in this disease it is liable to return -

Case 45 Small tumor situated below the eye — made the incision in the direction of the eye — & with forceps removed it — this was removed on the inner side of the eyelid —

Case 46 Nevis materni — an unusual tumor on the head treated by making an elliptical incision round it & after its removal passed through a pin &c. over which a bandage was applyed.

Case 47 Oscilation of the eye with strabismus — Relieved by cutting the internal rectus

Case 48 Incondroma -

A large tumor on the outer side of the thigh - it is very sensitive and of a bluish color an incision was made into it and then with the thumb it was peaked out - without giving origin to much hemorrhage -